






## T87 PIPEBURSTER DATA



# T87 pipeburster

## Hydro static pipeburster system Technical data og specifications



## T87 pipeburster

### Hydro static pipeburster system Technical data og specifications

	pulling unit	power pack	steel rods
<b>pulling force</b>	92 metric tons		
<b>measurements</b>	180 x 65 x 72 cm.	120 x 110 120 cm.	Ø60 mm. x 75 cm. container: 96 x 50 x 62 cm.
<b>weight</b>	1600 kg.	820 kg.	Ø60 mm. x 75 cm. 15 kg. container incl. 40 pc's Ø60 mm. rods: 650 kg.
<b>engine</b>		3 - cyl. diesel water cooled 25 bhp. / 18,6 kW diesel cap: 35 ltr.	
<b>hydraulic system</b>	3 cylinders	max 250 bar / 3625 psi 60 ltr. / min. => 80 bar 23 ltr. / min. 80 - 250 bar hydraulic oil cap. 85 ltr. Approx. 2500 rpm's	
<b>operationel speed</b>	up to 1,00 mtr. / min. stroke 50 cm.		
<b>operationel range</b>	Ø90 mm. - Ø400 mm.		
<b>optional accessories</b>	hydro static rod-spinner* (3'rd hydraulic circuit)	Manually activated	





**Scandinavian No-Dig Centre A/S**

**Contact:**

**Duedal 70  
DK - 9230 Svenstrup  
Denmark**

**web: [www.no-dig.dk](http://www.no-dig.dk)**

**email: [no-dig@no-dig.dk](mailto:no-dig@no-dig.dk)**

**tlf. +45 98 34 16 88**